

COVID-19 Vaccine Eligibility

	Pfizer	Moderna	Johnson & Johnson
Ages 18+	Primary Series: <ul style="list-style-type: none"> 2 doses; 3-8 weeks apart Booster: <ul style="list-style-type: none"> 1 Bivalent booster; 2 months after the final dose in the primary series 	Primary Series: <ul style="list-style-type: none"> 2 doses; 4-8 weeks apart Booster: <ul style="list-style-type: none"> 1 Bivalent booster; 2 months after the final dose in the primary series 	Primary Series: <ul style="list-style-type: none"> 1 dose Booster: <ul style="list-style-type: none"> 1 booster; 2 months after the final dose in the primary series Anyone who received J&J may receive a 2nd dose of Pfizer or Moderna at least 4 months after their 1st booster Ages 50+ can choose to receive a 2nd booster
Ages 12 – 17 years	Primary Series: <ul style="list-style-type: none"> 2 doses; 3-8 weeks apart Booster: <ul style="list-style-type: none"> 1 Bivalent booster; 2 months after the final dose in the primary series 	Primary Series: (ages 6 mo. – 5 yrs) <ul style="list-style-type: none"> 2 doses <ul style="list-style-type: none"> 4 – 8 weeks apart Booster: <ul style="list-style-type: none"> Not yet authorized 	N/A
Ages 5 – 11 years	Primary Series: <ul style="list-style-type: none"> 2 doses; 3 – 8 weeks apart Booster: <ul style="list-style-type: none"> 1 Monovalent booster; 5 months after the final dose in the primary series 	Primary Series: (ages 6 mo. – 5 yrs) <ul style="list-style-type: none"> 2 doses <ul style="list-style-type: none"> 4 – 8 weeks apart Booster: <ul style="list-style-type: none"> Not yet authorized 	N/A
Ages 6 months – 5 years	Primary Series: (ages 6 mo. – 4 yrs) <ul style="list-style-type: none"> 2 doses <ul style="list-style-type: none"> 3- 8 weeks apart between 1st & 2nd dose At least 8 weeks between 2nd & 3rd dose Booster: <ul style="list-style-type: none"> 1 Bivalent booster; 8 weeks after second monovalent primary series dose. 	Primary Series: (ages 6 mo. – 5 yrs) <ul style="list-style-type: none"> 2 doses <ul style="list-style-type: none"> 4 – 8 weeks apart Booster: <ul style="list-style-type: none"> 1 Bivalent booster; 2 months after the final dose in the primary series 	N/A

Definitions:

- Primary series = 2 – 3 doses of Pfizer & Moderna; 1 dose of J&J
- Booster = additional dose
- Up to date = you have received all doses in the primary series and booster when eligible.
- Fully vaccinated = 2 weeks after final dose in primary series
- Monovalent = only 1 antigen in a vaccine
- Bivalent = a vaccine that works by stimulating an immune response against 2 different antigens (i.e. omicron BA.4 and BA.5)

Schedule an appt:



<https://hvhd.us/covid-19/vaccinations/>

